

L Number	Hits	Search Text	DB	Time stamp
1	1	"6741449"	USPAT; US-PGPUB; JPO	2004/10/26 13:18
12	3184	anode and teeth or anode and comb	USPAT; US-PGPUB; JPO	2004/10/26 13:19
13	1048	(anode and teeth or anode and comb) and(capacitor)	USPAT; US-PGPUB; JPO	2004/10/26 13:19
14	868	((anode and teeth or anode and comb) and(capacitor)) and(portion)	USPAT; US-PGPUB; JPO	2004/10/26 13:19
15	330	((anode and teeth or anode and comb) and(capacitor)) and(portion)) and(thickness)	USPAT; US-PGPUB; JPO	2004/10/26 13:20
16	5	electrolytic with capacitor.ti. and(comb with electrode or teeth with electrode)	USPAT; US-PGPUB; JPO	2004/10/26 13:30
17	6	electrolytic with capacitor.ti. and(groove near portion or teeth near portion or comb near portion)	USPAT; US-PGPUB; JPO	2004/10/26 13:32
18	17	electrolytic with capacitor.ti. and(valve near metal with Nb)	USPAT; US-PGPUB; JPO	2004/10/26 13:35
19	1	electrolytic with capacitor.ti. and(anode with grooved near portion)	USPAT; US-PGPUB; JPO	2004/10/26 13:35
20	302	electrolytic with capacitor.ti. and(anode with portion)	USPAT; US-PGPUB; JPO	2004/10/26 13:36
21	128	electrolytic with capacitor.ti. and(anode near portion)	USPAT; US-PGPUB; JPO	2004/10/26 13:36
-	1	5638946.pn.	USPAT; US-PGPUB; JPO	2004/10/25 07:49
-	1		USPAT	2004/10/25 07:44
-	1		USPAT	2004/10/25 07:44
-	1		USPAT	2004/10/25 07:45
-	1		USPAT	2004/10/25 07:45
-	1		USPAT	2004/10/25 07:47
-	1		USPAT	2004/10/25 07:47
-	1		USPAT	2004/10/25 07:47
-	1		USPAT	2004/10/25 07:47
-	1		USPAT	2004/10/25 07:47
-	1		USPAT	2004/10/25 07:48
-	1		USPAT	2004/10/25 07:48
-	1		USPAT	2004/10/25 07:48
-	1		USPAT	2004/10/25 07:48
-	1		USPAT	2004/10/25 07:48
-	1		USPAT	2004/10/25 07:48
-	1		USPAT	2004/10/25 07:49
-	1	5638946.pn. and(vacuum)	USPAT; US-PGPUB; JPO	2004/10/25 07:50
-	0	5638946.pn. and(air)	USPAT; US-PGPUB; JPO	2004/10/25 07:50
-	0	5638946.pn. and(airtight)	USPAT; US-PGPUB; JPO	2004/10/25 07:52
-	47352	beam with fixed	USPAT; US-PGPUB; JPO	2004/10/25 07:52
-	6	varactor with beam with fixed	USPAT; US-PGPUB; JPO	2004/10/25 07:52
-	2	varactor.ti. and beam with fixed	USPAT; US-PGPUB; JPO	2004/10/25 08:07

-	362	switch.ti. and beam with fixed	USPAT; US-PGPUB; JPO	2004/10/25 07:56
-	115	switch.ti. and beam with fixed) and(actuator	USPAT; US-PGPUB; JPO	2004/10/25 08:01
-	27	micromechanical with switch.ti.	USPAT; US-PGPUB; JPO	2004/10/25 08:01
-	6	variable with capacitor.ti. and beam with fixed	USPAT; US-PGPUB; JPO	2004/10/25 08:42
-	3	micromachined near varactor and beam	USPAT; US-PGPUB; JPO	2004/10/25 08:44
-	3	micromachined adj varactor and beam	USPAT; US-PGPUB; JPO	2004/10/25 08:44
-	11	micromachined adj switch and beam	USPAT; US-PGPUB; JPO	2004/10/25 08:57
-	27962	high with power with switch\$2	USPAT; US-PGPUB; JPO	2004/10/25 08:58
-	154	high with power with switch\$2.ti.	USPAT; US-PGPUB; JPO	2004/10/25 08:58
-	24	high with power with switch\$2.ti.) and(beam	USPAT; US-PGPUB; JPO	2004/10/25 09:00
-	130	wong adj marvin.in.	USPAT; US-PGPUB; JPO	2004/10/25 10:24
-	362	module adj substrate and capacitor	USPAT; US-PGPUB; JPO	2004/10/25 10:24
-	272	module adj substrate and capacitor) and(semiconductor	USPAT; US-PGPUB; JPO	2004/10/25 10:25
-	34	((module adj substrate and capacitor) and(semiconductor)) and(wiring adj board)	USPAT; US-PGPUB; JPO	2004/10/25 10:46
-	1774	multilayer near wiring near board	USPAT; US-PGPUB; JPO	2004/10/25 10:46
-	150	multilayer near wiring near board) and(capacitor	USPAT; US-PGPUB; JPO	2004/10/25 11:16
-	1	"20020168510"	USPAT; US-PGPUB; JPO	2004/10/25 11:18
-	1	"20020168510" and(capacitor)	USPAT; US-PGPUB; JPO	2004/10/25 13:39
-	48	module adj substrate with capacitor	USPAT; US-PGPUB; JPO	2004/10/25 13:39
-	12	module adj substrate with capacitor) and(semiconductor adj chip	USPAT; US-PGPUB; JPO	2004/10/25 13:46
-	12	(semiconductor adj chip.ti.) and module adj substrate	USPAT; US-PGPUB; JPO	2004/10/25 13:52
-	2	((semiconductor adj chip.ti.) and module adj substrate) and(capacitor)	USPAT; US-PGPUB; JPO	2004/10/25 13:52
-	362	module adj substrate and capacitor	USPAT; US-PGPUB; JPO	2004/10/25 13:52
-	2	(semiconductor adj chip.ti.) and (module adj substrate and capacitor)	USPAT; US-PGPUB; JPO	2004/10/25 13:53

-	66	(semiconductor.ti.) and (module adj substrate and capacitor)	USPAT; US-PGPUB; JPO	2004/10/25 13:53
-	64	((semiconductor.ti.) and (module adj substrate and capacitor)) and(chip)	USPAT; US-PGPUB; JPO	2004/10/25 15:24
-	244	semiconductor with chip.ti. and(capacitor)	USPAT; US-PGPUB; JPO	2004/10/25 15:24
-	3	semiconductor with chip.ti. and(capacitor)) and(module near substrate	USPAT; US-PGPUB; JPO	2004/10/25 15:25
-	166	semiconductor with chip.ti. and(capacitor)) and(substrate	USPAT; US-PGPUB; JPO	2004/10/25 15:48
-	2732	mounting adj semiconductor adj chip	USPAT; US-PGPUB; JPO	2004/10/25 15:48
-	61	mounting adj semiconductor adj chip) and(substrate with capacitor	USPAT; US-PGPUB; JPO	2004/10/25 15:54
-	3	mounting adj semiconductor adj chip) and(substrate near capacitor	USPAT; US-PGPUB; JPO	2004/10/25 15:57
-	0	module near substrate with built adj in adj capacitor	USPAT; US-PGPUB; JPO	2004/10/25 15:57
-	59	module near substrate with capacitor	USPAT; US-PGPUB; JPO	2004/10/25 15:57
-	12	module near substrate with capacitor) and(semiconductor near chip	USPAT; US-PGPUB; JPO	2004/10/25 16:00
-	1358	semiconductor with device with capacitor.ti.	USPAT; US-PGPUB; JPO	2004/10/25 16:00
-	1	semiconductor with device with capacitor.ti.) and(module near substrate	USPAT; US-PGPUB; JPO	2004/10/25 16:01
-	1182	semiconductor with device with capacitor.ti.) and(substrate	USPAT; US-PGPUB; JPO	2004/10/25 16:01
-	118	semiconductor with device with capacitor.ti.) and(semiconductor near chip	USPAT; US-PGPUB; JPO	2004/10/25 16:01
-	102	((semiconductor with device with capacitor.ti.) and(semiconductor near chip)) and(substrate)	USPAT; US-PGPUB; JPO	2004/10/25 17:05
-	8290	semiconductor near chip and capacitor	USPAT; US-PGPUB; JPO	2004/10/25 17:05
-	106	(semiconductor near chip and capacitor) and module near substrate	USPAT; US-PGPUB; JPO	2004/10/26 07:52
-	20196	groove near portion	USPAT; US-PGPUB; JPO	2004/10/26 08:08
-	33	groove near portion) and(valve near metal	USPAT; US-PGPUB; JPO	2004/10/26 07:53
-	27	capacitor.ti. and (groove near portion)	USPAT; US-PGPUB; JPO	2004/10/26 08:11
-	7	"4494299"	USPAT; US-PGPUB; JPO	2004/10/26 08:16
-	0	frankline adj robert.in.	USPAT; US-PGPUB; JPO	2004/10/26 08:17
-	99	franklin adj robert.in.	USPAT; US-PGPUB; JPO	2004/10/26 08:20

-	384	electrode with groove near portion	USPAT; US-PGPUB; JPO	2004/10/26 08:21
-	33	anode with groove near portion	USPAT; US-PGPUB; JPO	2004/10/26 08:23
-	6	electrolytic with capacitor with array.ti.	USPAT; US-PGPUB; JPO	2004/10/26 08:25
-	0	electrolytic with capacitor with array.ti.) and(groove	USPAT; US-PGPUB; JPO	2004/10/26 08:24
-	4	electrolytic with capacitor.ti. and groove adj portion	USPAT; US-PGPUB; JPO	2004/10/26 08:35
-	411	array near anode	USPAT; US-PGPUB; JPO	2004/10/26 09:26
-	0	anode near sheet with grooved near portion	USPAT; US-PGPUB; JPO	2004/10/26 09:27
-	166659	anode grooved near portion	USPAT; US-PGPUB; JPO	2004/10/26 09:27
-	7	anode with grooved near portion	USPAT; US-PGPUB; JPO	2004/10/26 09:28
-	0	yoshida adj katsuhino.in.	USPAT; US-PGPUB; JPO	2004/10/26 09:29
-	114	yoshida adj katsuhiro.in.	USPAT; US-PGPUB; JPO	2004/10/26 09:39
-	1		USPAT	2004/10/26 09:32
-	1		USPAT	2004/10/26 09:33
-	1		USPAT	2004/10/26 09:33
-	1		USPAT	2004/10/26 09:33
-	1		USPAT	2004/10/26 09:33
-	3	"6717201"	USPAT; US-PGPUB; JPO	2004/10/26 09:50
-	1	Nb adj paste with valve adj metal	USPAT; US-PGPUB; JPO	2004/10/26 09:51
-	119	Nb with valve adj metal	USPAT; US-PGPUB; JPO	2004/10/26 10:48
-	4998	tooth near portion	USPAT; US-PGPUB; JPO	2004/10/26 10:48
-	0	anode with teeth near portion	USPAT; US-PGPUB; JPO	2004/10/26 10:48
-	1	anode with tooth near portion	USPAT; US-PGPUB; JPO	2004/10/26 10:48
-	23	teeth near portion and anode	USPAT; US-PGPUB; JPO	2004/10/26 10:51
-	137	plurality near anode with portion	USPAT; US-PGPUB; JPO	2004/10/26 10:57
-	1	electrolytic with capacitor.ti. and comb near electrode\$1	USPAT; US-PGPUB; JPO	2004/10/26 13:24
-	3	electrolytic with capacitor.ti. and teeth	USPAT; US-PGPUB; JPO	2004/10/26 10:59
-	31	electrolytic with capacitor.ti. and comb	USPAT; US-PGPUB; JPO	2004/10/26 13:05

-	0	"4574333".PN. and(groove near portion)	USPAT; US-PGPUB; JPO	2004/10/26 11:05
-	0	"4574333".PN. and(portion)	USPAT; US-PGPUB; JPO	2004/10/26 11:05